



AT-T72L2A



Analog IR Bullet Camera - 30 IR LEDs

Main Features



- High Quality Image Sensor
- 720 TVL High Resolution
- 0.2 Lux @ F1.2, 0 Lux (IR ON)
- 3.6 mm Lens
- IR Range of 20Mtr with 30 IR LEDs
- AGC, AWB and BLC

FEATURES	SPECIFICATIONS
Body Housing	Plastic Body
Image Sensor	High Quality Image Sensor
Pixels	PAL : 720H x 480V
Resolution	720 TVL
Minimum Illumination	0.2 Lux, 0 Lux (IR ON)
S/N Ratio	More than 46.4dB
Lens	3.6 mm Lens
Gamma Correction	0.45
White Balance (AWB)	Auto
Gain Control (AGC)	Auto
Back Light Comp.	Auto
Power Source	DC12V±10%
IR	IR Range of 20 Mtr with 30 IR LEDs
Sync	Internal Sync
Power Supply	DC 12V



AT-T72L2A



FEATURES	SPECIFICATIONS
Power Consumption	170mA (145-196mA)
IP Rating	IP66
Dimensions	172mm x 84mm x 70mm
Weight	265 g
Operating Temperature	-10°C~50°C, -20°C~60°C
Certifications	CE, FCC and RoHS